

Eurotunnel's dangerous goods guide 2019



Contents

I – Introduction to Eurotunnel’s Policy for ADR regulated goods

II – Definition of terms used

III – List of ADR regulated goods accepted

Class 1:	Explosive substances and articles
Class 2:	Gases: compressed, liquefied or dissolved under pressure
Class 3:	Flammable liquids
Class 4.1:	Flammable solids
Class 4.2:	Substances liable to spontaneous combustion
Class 4.3:	Substances, which in contact with water, emit flammable gases
Class 5.1:	Oxidizing substances
Class 5.2:	Organic peroxides
Class 6.1:	Toxic substances
Class 6.2:	Infectious substances
Class 7:	Radioactive materials
Class 8:	Corrosive substances
Class 9:	Miscellaneous dangerous substances and articles

IV – What to do on arrival at the Freight Terminal

V – Eurotunnel contact details

I – Introduction to Eurotunnel's policy for ADR regulated goods

The Channel Tunnel has been designed to be one of the safest transport systems known to date.

Eurotunnel's dangerous goods policy is therefore intended to ensure the safety of its customers and staff, and the integrity of the Tunnel. This policy has been produced in close collaboration with industry and with relevant trade and professional bodies.

The carriage of dangerous goods through the Channel Tunnel must comply with ADR (European Agreement concerning the International Carriage of Dangerous Goods by Road). Dangerous goods definitions are subject to the current revision of the ADR regulations and Eurotunnel Freight will accept, restrict or refuse goods on the basis of these definitions.

This dangerous goods policy has been decreed by a By-Law in the UK and an Arrêté Ministériel in France and forms an integral part of Eurotunnel's Conditions of Carriage. The carriage of dangerous goods must also comply with Eurotunnel's own regulations as described on this website, which are more stringent than those in ADR, to reflect the specific safety characteristics of the Channel Tunnel infrastructure. The carrier is responsible for ensuring that the goods being transported comply with these regulations.

Declarations must be made using the current revision of ADR applicable at the time of travel, in one of the official languages of ADR – English, French or German. Furthermore it is also the carrier's responsibility to provide the compulsory documentation, including for vehicles travelling under the provisions of ADR chapter 1.1.3.6. Dangerous goods being carried under the ADR Limited Quantity, Excepted Quantity or any other Special Provisions, which do not need documentation, do not need to be declared at Check-in. However, if these goods are declared, a full ADR declaration must be provided.

Eurotunnel Freight reserves the right to authorise or refuse carriage of dangerous goods via Eurotunnel Freight, irrespective of their type, origin and / or destination.

The Channel Tunnel has been designed to be one of the safest transport systems known to date.

II – Definition of terms used

Some of the specific terminology and expressions used in the Eurotunnel Freight dangerous goods policy are defined below.

Transport unit

A transport unit is:

- a lorry or a trailer;
- a container or swap body;

A lorry with a coupled trailer represents two units of transport.

In the case of a lorry with trailer, carrying two containers, then each container represents a separate transport unit.

Wherever the term “transport unit” is used in this document, it shall be construed as a “transport unit” as defined above.

Unit package:

The maximum volume of a particular product carried in one receptacle for transit through the Channel Tunnel.

Quantities:

The quantities of goods are divided into three categories:

* ***Carried with no restriction on quantity***

* ***Carried subject to restriction on quantity:***

- **Product may be carried but maximum unit package size is restricted:**

- No restriction on the quantity carried per unit of transport but must be in unit packages of
- 250 litres
 - 400 kg
 - 1000 litres (for gases with a Classification Code of 1O or 2O).

- **Maximum quantity per transport unit:**

Carriage is only permitted on the premise that the maximum quantity per transport unit is not exceeded. The number of packages and their volume is unrestricted provided that their overall volume or weight does not exceed the limit of the relevant class for each transport unit, as shown in the list of dangerous goods accepted.

If several products of the same class in any one transport unit fall into the same category, the sum of all their quantities must not exceed the limit of the relevant class for each transport unit.

- **Other maximum quantities allowed:**

The authorised limit is the net weight per transport unit unless otherwise indicated.

* ***Not permitted / prohibited***

It should be noted that this document only describes those substances accepted for carriage, with or without restrictions (see section III of this guide). Other goods, classified as dangerous under ADR are not accepted for transit via Eurotunnel Freight.

Empty Containers / Empty uncleaned:

Eurotunnel Freight will accept, without restriction, the carriage of empty containers, which would have been accepted when full. Containers, which would not have been accepted for carriage when full, must be cleaned and an “ad-hoc” certificate to this effect submitted before carriage can be authorised.

III – List of dangerous goods accepted

The following list details those dangerous goods authorised for transit via Eurotunnel Freight by their ADR Class, UN Number and packing group. Restrictions are stated where applicable.

Dangerous goods that have two or more danger labels (labels 1 to 9) are not authorised for transit via Eurotunnel Freight, with the exception of the goods specified under Class 2. Further exceptions may be made for goods named in this guide that pose a secondary hazard derived from their method of packaging. This is the case for UN 3291 and UN 3245, which are accepted when packed in refrigerated liquid nitrogen.

Please note that dangerous goods that do not appear in this list are not authorised for transit via Eurotunnel Freight.

However, goods that are not subject to ADR are also not included in this list but are authorised for transit via Eurotunnel Freight. This includes but is not limited to products such as straw (UN 1327) and dry ice (UN 1845), goods packed in limited or excepted quantities in accordance with ADR Chapters 3.4 and 3.5 and goods being transported under certain Special Provisions e.g. SP188.

ADR – Class 1: Explosive substances and articles

Substances and articles of Class 1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
0012	n/a	1.4S	Quantity accepted for carriage restricted to 15kg of net explosive substance per transport unit (15kg of substance not of explosive articles) Net = not including packaging
0014			
0044			
0055			
0070			
0105			
0110			
0131			
0173			
0174			
0193			
0323			
0337			
0345			
0349			
0366			
0367			
0368			
0373			
0376			
0384			
0404			
0405			
0432			
0441			
0445			
0454			
0455			
0456			
0460			
0500			
0506			
0507			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 2: Gases: compressed, liquefied or dissolved under pressure

Gases of Class 2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except gases whose Classification Code is 1O, 2O or 5O and in the case of UN 1950 also 5C or 5T (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction		
1002	n/a	1A	No restriction		
1006					
1009					
1013					
1018					
1020					
1021					
1022					
1028					
1029					
1044		6A			
1046		1A			
1056					
1057		6F	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit		
1058		2A	No restriction		
1065		1A			
1066					
1070		2O	No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum		
1072		1O			
1078		2A	No restriction		
1080					
1858					
1913				3A	
1950				5A	
1950				5C	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
1950				5F	
1950				5O	
1950				5T	
1951				3A	
1952		2A	No restriction		
1956	1A				
1958	2A				
1963	3A				
1968	2A				
1970	3A				
1973	2A				
1974					
1976					
1977		3A			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 2: Gases: compressed, liquefied or dissolved under pressure

Gases of Class 2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except gases whose Classification Code is 1O, 2O or 5O and in the case of UN 1950 also 5C or 5T (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1982	n/a	2A	No restriction
1983			
1984			
2036			
2037		5A	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
2037		5F	
2037		5O	
2037		5T	
2187		3A	No restriction
2193		2A	
2422			
2424			
2451		2O	No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum
2591		3A	No restriction
2599		2A	
2602		6A	
2857			
3070			
3136		2A	
3150		3A	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
		6F	
3156		1O	No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum
3157		2O	
3158		3A	No restriction
3159		2A	
3163		6A	
3164			
3167			
3169		7F	
3220		7T	
3296	2A		
3297			
3298			
3299			
3337			
3338			
3339			
3340			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 2: Gases: compressed, liquefied or dissolved under pressure

Gases of Class 2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except gases whose Classification Code is 10, 20 or 50 and in the case of UN 1950 also 5C or 5T (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
3478	n/a	6F	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
3479			
3500		8A	No restriction
3511		9A	
3513		9O	No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum
3529		6F	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
3537			
3538		6A	No restriction
3539		6T	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1088	II	F1	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
1090			
1091			
1104	III		
1105	II		
1105	III		
1107	II		
1109	III		
1110			
1111	II		
1112	III		
1113	II		
1114			
1120			
1120	III		
1123	II		
1123	III		
1126	II		
1127			
1128			
1129			
1130			
1133	II		
1133	III		
1134			
1136	II		
1136	III		
1139	II		
1139	III		
1145	II		
1146			
1147	III		
1148	II		
1148	III		
1149			
1150	II		
1152	III		
1153	II		
1153	III		
1156	II		
1157	III		
1159	II		
1161			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1164	II	F1	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
1165			
1166			
1169			
1169	III		
1170	II		
1170	III		
1171			
1172			
1173	II		
1175			
1176			
1177	III		
1178	II		
1179			
1180	III		
1188			
1189			
1190	II		
1191	III		
1192			
1193	II		
1195			
1197			
1197	III		
1201	II		
1201	III		
1202			
1203	II	D	
1204			
1206			
1207	III		
1208	II		
1210			
1210	III		
1212			
1213			
1216	II	F1	
1219			
1220			
1222			
1223			III
1224			II

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1224	III	F1	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
1229			
1231	II		
1233	III		
1234	II		
1237			
1245			
1246			
1247			
1248			
1249			
1261			
1262			
1263			
1263			
1264	II		
1265			
1266	III		
1267	II		
1267	III		
1268	II		
1268	III		
1272			
1274	II		
1274	III		
1275	II		
1276			
1278			
1279			
1281			
1282			
1286	III		
1286	II		
1287	III		
1288	II		
1288	III		
1292			
1293	II		
1293	III		
1294	II		
1299	III		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1300	II	F1	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
1300	III		
1301	II		
1304			
1306			
1306	III		
1307	II		
1307	III		
1308	II		
1308	III		
1648	II		
1862			
1863			
1863	III		
1865	II		
1866			
1866	III		
1914			
1915			
1917	II		
1918	III		
1919	II		
1920	III		
1987	II		
1987	III		
1989	II		
1989	III		
1993	II		
1993	III		
1999	II		
1999	III		
2045	II		
2046	III		
2047	II		
2047	III		
2048			
2049			
2050	II		
2052	III		
2053			
2055			
2056	II		
2057			
2057	III		
2058	II		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
2059	II	D	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
2059	III		
2219			
2222			
2227			
2234			
2238			
2241		II	
2242	III		
2243			
2244			
2245	II		
2246	III		
2247	II		
2251			
2252			
2256			
2263			
2265	III		
2271			
2275			
2277	II		
2278	III		
2282			
2283			
2286			
2287	II		
2288	III		
2293	II		
2296	III		
2297	II		
2298			
2301			
2302	III		
2303	II		
2309	III		
2313			
2319			
2323			
2324			
2325			
2329			
2330			
2332			
2338		II	
2339			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
2340	II	F1	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
2341	III		
2342	II		
2343			
2344	III		
2344			
2345	II		
2346			
2347			
2348	III		
2350	II		
2351			
2351	III		
2352	II		
2358			
2362			
2364	III		
2366			
2367	II		
2368	III		
2370	II		
2372			
2373			
2374			
2375			
2376			
2377			
2380			
2384			
2385			
2387			
2388			
2390			
2391			
2392			
2393	II		
2394	III		
2397	II		
2398			
2400			
2402			
2403	III		
2405			
2406			
2409	II		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
2410	II	F1	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
2412			
2413			
2414	II		
2416			
2436			
2457			
2458			
2460			
2461			
2498			
2514			
2520			
2524			
2527			
2528			
2536	II		
2541	III		
2554	II		
2560	III		
2607			
2608			
2612	II		
2614	III		
2615	II		
2616	III		
2616			
2617			
2618			
2620			
2621			
2707	II		
2707	III		
2709			
2710			
2752			
2838	II		
2840	III		
2842			
2850			
2933			
2934			
2935			
2943			
2947			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
3022	II	F1	Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit
3054	III		
3056			
3065	II		
3065	III		
3092			
3269	II	F3	
3269	III		
3271	II	F1	
3271	III		
3272	II		
3272	III		
3295	II		
3295	III		
3336	II		
3336	III		
3371	II		
3473	n/a		
3475	II	F1	
3528	n/a	F3	
3540			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 4.1: Flammable solids

Substances of Class 4.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1309	II	F3	No restriction
1309	III	F1	
1312		F3	
1313		F3	
1314			
1318			
1323	II	F1	
1324	III		
1325	II	F3	
1325	III		
1326	II	F1	
1328	III	F3	
1330		F1	
1331		F3	
1332		F1	
1333	II	F3	
1334	III	F1	
1338		F3	
1339	II		
1341			
1343			
1345	III	F1	
1346		F3	
1350	F3		
1352		II	
1353	III		
1358		II	
1869	III		F3
1944		F1	
1945			
2000		F3	
2001			
2213		F1	
2254			
2538			
2623			
2687		F3	
2714			
2715	F1		
2717			
2858	F3		
2878			
2956	SR1	No restriction	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 4.1: Flammable solids

Substances of Class 4.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
2989	II	F3	Quantity accepted for carriage restricted to a maximum of 8t per transport unit
2989	III		
3089	II		No restriction
3089	III		
3178	II		Quantity accepted for carriage restricted to a maximum of 8t per transport unit
3178	III		
3181	II		No restriction
3181	III		
3182			
3241			
3242	II	SR1	Quantity accepted for carriage restricted to a maximum of 400kg per transport unit
3251	III	F1	No restriction
3270	II		
3527	II	F4	
	III		
3541	n/a		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 4.2: Substances liable to spontaneous combustion

No substances of this Class will be accepted for carriage
via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight
(see section III of this guide)

ADR – Class 4.3: Substances which in contact with water emit flammable gases

No substances of this Class will be accepted for carriage via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 5.1: Oxidizing substances

Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1438	III	O2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1444			
1450	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1451	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1452	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1454	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1455	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1456			
1457			
1458			
1458	III		
1459	II		
1459	III		
1461	II		
1465	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1466			
1467			
1471	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1471	III		
1472	II		
1473			
1474	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1475	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1476			
1477			
1477	III	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 5.1: Oxidizing substances

Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1479	II	O2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1479	III		
1481	II		
1481	III		
1482	II		
1482	III		
1483	II		
1483	III		
1484	II		
1485			
1486	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1487	II		Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1488			
1489			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1490			
1492	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1493	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1494			
1495			
1498	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1499			
1502	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1503			
1505	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1506	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1507	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 5.1: Oxidizing substances

Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
1508	II	O2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1509				
1512			Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1513			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1514			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1515			III	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1516				
1748				
1748				
2208				
2427				
2427	II	O1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2428	III			
2428	II			
2428	III			
2429	II			
2429	III			
2465	II	O2	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2468				
2469	III		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2627	II		Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2720	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2721	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2722	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 5.1: Oxidizing substances

Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
2723	II	O2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2724	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2725			Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2726			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2728			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2880	II	O1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2880	III			
3139				
3210	II			
3210	III			
3211	II			
3211	III			
3212	II			O2
3213				O1
3213	III			
3214	II			
3215	III	O2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3216				
3218	II	O1	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3218	III			
3219	II			
3219	III			
3247	II	O2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3356	n/a	O3		
3377	III			
3378	II	O2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3378	III			
3407	II	O1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3407	III			
3544	n/a	O3		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 5.2: Organic peroxides

No substances or articles of this Class will be accepted for carriage
via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight
(see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1544	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1544	III		No restriction
1547	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1548	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
1549		T5	No restriction
1550			
1551			
1564	II		
1564	III	No restriction	
1577	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1578		T2	
1579		III	
1583	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1583	III		No restriction
1590	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1591 1593	III		No restriction
1594	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1596			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1597			T1
1597	III		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
1598	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1599		T1		
1599	III			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
1601	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1601	III			No restriction
1602	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1602	III			No restriction
1611	II			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1616	III	T5	No restriction	
1650	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1651				
1652		T1		
1654				
1655		T2		No restriction
1656	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1656	III			No restriction
1657	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1658		T1		
1658				III
1659	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1661				
1662		T1		
1663	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
1664	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1665				

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
1669	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1671				
1673	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
1690		T5	No restriction	
1693	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1697		T2		
1701		T1		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1702				
1704				
1708				
1709	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
1710			No restriction	
1711	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1812	III	T5	No restriction	
1843	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1846		T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1851			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1851			No restriction	
1884		III	T5	No restriction
1885	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
1886	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1887	III		No restriction
1888			No restriction
1891	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1897	III		No restriction
2016	n/a	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2018	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2019		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2020	III	T2	No restriction
2021		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2038	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2074	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2075	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2077	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2078	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2205	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2206	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2206	III		No restriction
2224	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
2233	III	T2	No restriction
2235			
2236	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2237	III	T2	No restriction
2239			
2250	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2253		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2261		T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2272	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2273			
2274			No restriction
2279			
2281	II	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2290	III	T5	No restriction
2291			
2294	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2299			No restriction
2300			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2306	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2307			
2311	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2321			No restriction
2322	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2328	III	T1	No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
2431	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2432				
2433			No restriction	
2446		T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2470	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2490				
2501			No restriction	
2501				
2504	III	T5		
2505				
2512		T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2515		T1		
2516		T2	No restriction	
2518				
2522	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2525	III			No restriction
2533				
2542	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2552				No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2567				
2570		III	T5	No restriction
2572	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2574				No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2587			T2	
2588			T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
2588	III	T7	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2609			No restriction
2643	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2645			
2647		T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2648		T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2649		T2	
2650		T1	
2651		III	T2
2653	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2655	III	T5	No restriction
2656		T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2659			No restriction
2660		T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2661			No restriction
2664			
2667			
2669		II	
2669	III		No restriction
2671	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2673			
2674	III	T5	No restriction
2688			
2689			
2690	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
2713	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2716			No restriction
2729		T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2730			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2732			No restriction
2738	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2747	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2750	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2753	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2754	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2757			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2757	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2759	II	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2759	III	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2761	II	T7	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2761	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2763	II		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2763	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2763			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
2771	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2771	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2775	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2775	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2777	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2777	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2779	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2779	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2781	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2781	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2783	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2783	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2785			T1	No restriction
2786	II		T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
2786	III	T7	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2788	II	T3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2788	III		No restriction	
2810	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2810	III		No restriction	
2811	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2811	III		No restriction	
2821	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2821	III		No restriction	
2822	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2831	III		No restriction	
2839	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2849	III		T5	No restriction
2853				
2854				
2855				
2856				
2859	II	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
2861	III	No restriction		
2862	II	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
2863	III	No restriction		
2864		No restriction		
2871	III	No restriction		
2872	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2872	III		No restriction	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
2873	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2874			No restriction
2875			
2876			
2902	II	T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2902	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2931	II	T5	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2936		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2937	No restriction		
2941	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2942			
2946			
2948		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2966	II	T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2992	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2992		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2994		II	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2994	III	T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2996	II		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2996	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2996	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
2998	II	T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2998	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3006	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3006	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3010	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3010	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3012	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3012	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3014	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3014	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3016	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3016	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3018	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
3018	III	T6	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3020	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3020	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3026	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3026	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3027	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3027	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3140	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3140	III	T4	No restriction
3141			
3142	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3142	III		No restriction
3143	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3143	III		No restriction
3144	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3144	III		No restriction
3146	II	T3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3146	III		No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
3155	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3172		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3172	III		No restriction
3243	II	T9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3249		T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3249		III	No restriction
3276	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3276	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3278	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3278	III		No restriction
3284	II		T5
3284	III	No restriction	
3285	II	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3285	III	No restriction	
3287	II	T4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3287	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3288	II	T5	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3288	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
3293	III	T4	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3302	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3345		T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3345	III			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3348	II	T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3348	III			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3349	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3349	III			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3352	II	T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3352	III			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3409	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3410	III			No restriction
3411	II			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3411	III			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
3415	III	T4	No restriction	
3416	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3417		T2		
3418	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3422		T4	No restriction	
3424	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3424	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3426		No restriction		
3427		T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3428	II		No restriction	
3429	III	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3430	II		T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3431		III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3434	III	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3436	II		No restriction	
3437	III	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3438			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3439	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3439	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3441	II		T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3442				
3443				
3444				
3445				

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
3446	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3447			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3448			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3451			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3452			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3454			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3457	III		No restriction
3458			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3459			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3460			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3462	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3462	III		No restriction
3464	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3464	III		No restriction
3546	n/a	T10	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.2: Infectious substances

Substances and articles of Class 6.2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except goods with the Classification code I3 when packed in refrigerated liquid nitrogen (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
3291	II	I3	No restriction
3373	n/a	I4	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 7: Radioactive materials

The carriage of Radioactive Materials of Class 7 (listed below) is only authorised through Eurotunnel Freight with Eurotunnel’s prior agreement.

Substances and articles of Class 7 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

Class 7 and Class 1 commodities cannot be transported together in the same transport unit.

For more information regarding both the restrictions on the carriage of Radioactive Materials and the procedure for gaining authorisation for transit via Eurotunnel Freight, please refer to section V of this guide (Eurotunnel contact details).

UN Number	Packing Group	Classification Code	Restriction	
2908	n/a	n/a	No restriction on this type of product.	
2909				
2910				
2911				
2912			Restricted solely to non combustible solids of new manufactured goods in their original packaging.	
2913				
2915				Restricted to manufactured products only
3321				Restricted solely to non combustible solids of new manufactured goods in their original packaging.
3322				
3332				

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
1716	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1718	III		No restriction	
1719	II			
1719	III			
1725	II	C2		
1726		C3		
1728		C4		
1729		C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1730				
1731		III		No restriction
1733	II	C2		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1736		C3		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1742				No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1743				
1753			C1	No restriction
1755		III		No restriction
1757	II	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
1757	III	No restriction		
1759	II	C10	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1759	III		No restriction	
1760	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1760	III		No restriction	
1762	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1763				
1764				
1765				
1766		C1		
1768		C3		
1769		C10		
1770		C3		
1771	III	C2	No restriction	
1773				

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
1774	II	C11	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1775		C1		
1776				
1778				
1780				
1781				
1782				
1783	III	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1783				
1784	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1787		C1	No restriction	
1787			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1788	III	C1	No restriction	
1788	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1789	III		No restriction	
1789	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1789	III		No restriction	
1791	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1791	III		No restriction	
1792	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1793	III	C3	No restriction	
1799	II		C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1800				
1801				
1803				
1804				
1805	III	C1	No restriction	
1806	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1807		C1		
1808				
1813		C6	No restriction	
1814		C5		
1814				III
1817	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
1818	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1819		C5	No restriction	
1819	III	C6		
1823	II	C5		
1824		III		C6
1825	II	C1		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1827		C7		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1835		III		C1
1835	II	C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1837		C1	No restriction	
1839	III	C6		
1840	II	C3		
1847	II	C3		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1848		C6		No restriction
1849	III	C6		
1898	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1902	III		No restriction	
1903	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1903	III	C6	No restriction	
1907				
1908	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1908	III		No restriction	
1938	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1938	III		No restriction	
1939	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1940		C3		
2028		C11		
2033		C6		No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
2079	II	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2209	III	C9	No restriction
2214		C4	
2215		C3	
2215		C4	
2225		C3	
2226	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2259	II	C7	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2262		C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2269	III	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2280		C8	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2289		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2305	II	C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2320	III	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2326			
2327			
2331		C2	No restriction
2430	II	C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2430	III		No restriction
2434	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2435			
2437			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
2440	III	C2	No restriction	
2442	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2443		C1		
2475	III	C2	No restriction	
2491		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2496		C3	No restriction	
2503		C2	C2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2506	II			No restriction
2507				III
2508	II			
2509				No restriction
2511	III	C3	No restriction	
2513	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2531			No restriction	
2564			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2564	III		No restriction	
2565			C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2571	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2577				
2578	III	C2	No restriction	
2579		C8	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2580		C1	No restriction	
2581				
2582				
2585	C4			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
2586	III	C3	No restriction	
2670	II	C4	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2672	III	C5	No restriction	
2677	II			
2677	III			
2678	II			C6
2679				C5
2679	III			
2680	II			C6
2681				C5
2681	III			
2682	II			C6
2691		C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2693	III	C1	No restriction	
2698		C4		
2705	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2735		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2735	III		No restriction	
2739	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2751			No restriction	
2790			No restriction	
2790	III	C11	No restriction	
2794	n/a			
2795	II			C5
2797				C3
2798	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2799				
2800	n/a	C11	No restriction	
2801	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2801	III		C2	No restriction
2802				
2803		C10		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
2819	III	C3	No restriction
2820		C4	
2823		C3	
2829		C2	
2834		C1	
2837			
2865			
2869	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2869	III	C9	No restriction
2904		C10	
2905			
2949	II	C6	
2967	III	C2	
2987	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3028	n/a	C11	No restriction
3055	III	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3066	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3066	III		No restriction
3145	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3145	III		No restriction
3147	II	C10	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3147	III		No restriction
3244	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3253	III	C6	No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
3259	II	C8	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3259	III	C8	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3260	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3260	III		No restriction
3261	II	C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3261	III		C6
3262	II		
3262	III		
3263	II	C8	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3263	III		No restriction
3264	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3264	III		No restriction
3265	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3265	III		C5
3266	II		
3266	III		
3267	II	C7	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3267	III		C5
3320	II		
3320	III		
3412	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3412	III		No restriction
3419	II	C4	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3420			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
3423	II	C8	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3425		C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3453	III	C2	No restriction
3472		C3	
3498	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3547	n/a	C11	No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR - Class 9: Miscellaneous dangerous substances and articles

Substances and articles of Class 9 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except goods with the Classification Code M8 when packed in refrigerated liquid nitrogen (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction	
1931	III	M11	No restriction	
1941				
1990	n/a	M3		
2071				
2211	III	M3		
2969	II	M11		
2990	n/a	M5		
3072				
3077	III	M7		
3082		M6		
3090	n/a	M4	Maximum of 500kg per transport unit and transport must be in unit packages of 100kg maximum	
3091		M11	No restriction	
3166				
3171	M8			
3245				
3257	III	M9		
3258		M10		
3268	n/a	M5		
3314	III	M3		
3316	n/a	M11		Maximum of 500kg per transport unit and transport must be in unit packages of 100kg maximum
3363				
3480	n/a	M4	No restriction	
3481				
3499	M11	M4		
3508				
3509	M4	Maximum of 500kg per transport unit and transport must be in unit packages of 100kg maximum		
3530				
3536	M11	M11	No restriction	
3548				

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

IV - What to do on arrival at the Freight Terminal

All dangerous goods accompanied with paperwork must be declared at Check-in *unless transporting in Limited Quantities.

1 – Before arrival:

Prior to your vehicle's arrival it is your responsibility to ensure that your Driver has a full ADR declaration (see point 4).

2 - On arrival at the Eurotunnel Freight Terminals in the UK and in France:

Please ensure that your Driver is aware that he needs to make a dangerous goods declaration upon arrival at Check-in. He will then be re-directed to the Freight Driver Information Centre.

3 – On arrival at the Freight Driver Information Centre (FDIC):

Your Driver must park in one of the spaces next to the Freight Driver Information Centre and report to the Customer Service Agent inside the building.

4 – Documentation required:

Your driver must give the Customer Service Agent the paperwork (preferably in either English or French), which must include the following information, specifically for the registration of goods by Eurotunnel Freight.

- UN number
- Current ADR references (Class, Packing Group, & Classification Code, if required)
- Proper Shipping Name of goods carried (including their volume or weight)
- Details of packaging (number and description)
- Quantity (net / gross mass as appropriate)

You are encouraged to make sure that the information required is in your Driver's possession. Non declaration or incorrect paperwork can cause delays or rejection from our Terminals.

5 – Checks:

The Customer Service Agent will check the paperwork against Eurotunnel's dangerous goods policy. An external check of the vehicle will be carried out and a copy of the dangerous goods paperwork will be taken.

Note – This examination has no bearing on possible Police or Customs examinations, which may take place before departure.

6 – Identification:

Once authorised, the Driver will be issued with a sticker showing a Eurotunnel reference, which must be visible on the windscreen.

This sticker identifies the vehicle as carrying dangerous goods and it must not be removed until the end of the journey with Eurotunnel.

7 – Journey through the system:

Your Driver can return to his vehicle and follow the normal route through the Terminal.

If you wish to order more copies of this guide, please refer to section V.

V – Eurotunnel contact details

For further information on Eurotunnel Freight's dangerous goods policy, please contact:

Eurotunnel Freight Commercial Department
UK Terminal
Ashford Road
Folkestone
Kent CT18 8XX
United Kingdom

Tel + 44 (0) 1303 282 244
Fax + 44 (0) 1303 283 500
Email freight@eurotunnel.com

Eurotunnel
Service Commercial Fret
Siège d'Exploitation
B.P. 69
62904 Coquelles Cedex
France

Tél + 33 (0) 3 21 00 64 65
Fax + 33 (0) 3 21 00 61 59
Email freight@eurotunnel.com